	Application No.	Applicant(s)
Notice of Allowability	10/500,550	REDERT, PETER-ANDRE
	Examiner	Art Unit
	Andrew Yang	2628
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 19 July 2006.		
2. The allowed claim(s) is/are <u>1 and 3-10</u> .		
 3.		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5. Notice of Informal F	Patent Application
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Summary	· •
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ☐ Examiner's Amendi	te
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	——————————————————————————————————————	ent of Reasons for Allowance
of Biological Material	9. ☐ Other	2

DETAILED ACTION

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: references by Sullivan et al. (U.S. PGPUB 20020113752), Kang (U.S. Patent No. 6,417,850), and Schmalstieg et al. (U.S. Patent No. 6,842,175) are made of record as describing related methods for scaling a three-dimensional model, adding depth to an image, and applying the property of a depth discontinuity by human visual perception. However, none of the cited prior art references teach or suggest scaling a three-dimensional model based on properties of human visual perception wherein one of said properties is sensitivity to a discontinuity in the three-dimensional model in a dimension related to depth.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Response to Arguments

Applicant's arguments, see pages 7-10, filed July 19, 2006, with respect to claims 1-10 have been fully considered and are persuasive. The U.S.C. 101 rejection of claims 1-8, U.S.C. 102 rejection of claims 1, 3-4, and 9-10, and U.S.C. 103 rejection of claim 8 has been withdrawn.

Application/Control Number: 10/500,550 Page 3

Art Unit: 2628

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew Yang whose telephone number is (571) 272-5514. The examiner can normally be reached on 8:30-5 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Zimmerman can be reached on (571) 272-7653. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AGY

9/21/06

MARK ZIMMERMAN SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600